APPROVED O.G. FIG.
CLASS SUBCLASS
DRAFTSMAN

PATENT APPLICATION DRAWING

FIG. 1



Patent Application

APPROVED
O.G. FIG.
CLASS SUBCLASS
DRAFTSMAN

FIG. 2



Kuramoto, S.
System for Managing Objects Based on Position Data
2/14

APPROVED O.G. FIG.
CLASS SUBCLASS
DRAWING

FIG. 3

DB

HWID NUMBER	HW000003	.....
HW TYPE	MAIN FRAME PERIPHERAL DEVICE	.....
HW NAME	TERMINAL CONTROLLER	.....
SERIAL NO.	23LD462	.....
PROJECT CODE	5YOJA	.....
MACHINE TYPE	...	.....
MACHINE MODEL	...	.....
HW MANAGEMENT NO.	4F408	.....
SITE	IBM-XX	.....
BUILDING CATEGORY	COMPUTER BUILDING	.....
FLOOR	4F	.....
X COORDINATE OF STARTING POINT	238	.....
Y COORDINATE OF STARTING POINT	162	.....
X COORDINATE OF ENDING POINT	364	.....
Y COORDINATE OF ENDING POINT	278	.....
COLOR	...	.....
CUSTOMER NAME	...	.....
ADDRESS	...	.....
OWNER CATEGORY	IBM PROPERTY	.....
MAINTENANCE TIME	10 TO 18	.....

APPROVED O.G. FIG.
CLASS SUBCLASS

FIG. 4



APPROVED O.G. FIG.
CLASS SUBCLASS

FIG. 5

(a)



(b)



APPROVED O.G. FIG.
CLASS SUBCLASS
DRAFTSMAN

FIG. 6



APPROVED O.G. FIG.
CLASS SUBCLASS
DRAFTSMAN

FIG. 7

(a)



(b)



APPROVED O.G. FIG.
BY CLASS SUBCLASS
DRAFTSMAN

FIG. 8



APPROVED O.G. FIG.
CLASS SUBCLASS
DRAWING

FIG. 9



APPROVED O.G. FIG.
CLASS SUBCLASS

FIG. 10



APPROVED O.G. FIG.
CLASS SUBCLASS
BY
DRAFTSMAN

FIG. 11



FIG. 12



APPROVED O.G. FIG.
BY
CLASS SUBCLASS
DRAFTSMAN

FIG. 13





FIG. 14

HWID	HW000003
HW TYPE	MAINFRAME Peripheral Device
HW NAME	Terminal Controller
HW GROUP	4F408
SERIAL NO	23DL462
PROJECT CD	5Y0JA

D3

APPROVED O.G. FIG.
BY CLASS SUBCL.

FIG. 15



FIG. 16

(a)


X
①Read DB
Current Coordinate
②Non-registered HW in Coordinate
IBM-XX Computer Building 4F
D2
HW000001
HW000002
HW000003
HW000004
HW000005
Object to be registered
Machine
GL
m1
D3
HWID
HW000003
HW TYPE
MAINFRAME Periph. Device
HW NAME
Terminal Controller
HW GROUP
4F408
SERIAL NO
23LD462
PROJECT CD
5Y0JA
B5
③Color Selection
④Registration Mode
Coordinate of Object
D4
Starting Point
Ending Point
⑤Registration
⑥Write in DB
B4
Outer Wall
Pillar
Magnification
100%
(8 tiles per square)
200%
(4 tiles per square)
400%
(2 tiles per square)
800%
(1 tile per square)
Mode
Coordinate Registration
Coordinate Change
Coordinate Delete
M
W2

(b)


Coordinate of Object
Starting Point
238
162
Ending Point
364
278
D4